



F.No. 455793-F/9(4)2024

भारत सरकार

Government of India

कृषि एवं किसान कल्याण मंत्रालय

Ministry of Agriculture & Farmers Welfare

कृषि एवं किसान कल्याण विभाग

Department of Agriculture & Farmers Welfare

वनस्पति संरक्षण, संगरोध एवं संग्रह निदेशालय

Directorate of Plant Protection, Quarantine & Storage

केंद्रीय कीटनाशी बोर्ड एवं पंजीकरण समिति

Central Insecticides Board and Registration Committee

एन. एच. 4, फरीदाबाद (हरियाणा)-121001

N.H. IV, FARIDABAD (HARYANA)-121001

CERTIFICATE OF REGISTRATION UNDER SECTION 9(4) OF THE INSECTICIDES ACT, 1968.

Certified that the Fungicide Hexaconazole 5% EC has been registered under section 9(4) of the Act in the name of the Person/Undertaking whose particulars are specified below:-

1. Name of the person/Undertaking : M/sSAHAJ AGROCHEM INDUSTRIES,SF 37, Earth Alpha, Vasna Road, Vadodara- 390007 (Gujarat),Gujarat,Vadodara,Vadodara,390007
2. Address of the manufacturing premises : 19/D, Raj Industrial Park, Karchiya, Savli, Vadodara - 391310 (Gujarat) .
3. Registration Number : CIR-346888/2025-Hexaconazole (EC) (461)-852
4. Name of the Insecticide : Hexaconazole 5% EC

5. CONDITIONS :

- i. The insecticide shall be manufactured indigenously.
- ii. The registration is subject to the strict compliance of various provisions of the Insecticides Act,1968 as amended from time to time and Rules, bye-laws framed and notifications issued thereunder and as amended from time to time.
- iii. The registration certificate is further subject to such conditions which may be varied and specified from time to time by the Registration Committee under section 9(3c).
- iv. The registration Certificate holder shall strictly comply with the condition and amendments thereof set out in this certificate of registration (CR) including label and leaflets. Non-compliance of the condition set out herein before and hereinafter will entail action under section 17 of the Act.
- v. The insecticide shall have the composition (kind, name and percentage of the ingredients) as given below :-

S.No	Component	Component Desc.	Content (% w/w)
1	Hexaconazole Tech	(Based on 92% w/w a.i.)	5.50 % w/w
2	Emulsifier	a) Styrenated phenol ethylene oxide condensate	5.00 % w/w
3		b) Dodecyl benzene sulfonic acid Ca salt	5.00 % w/w
4	Solvent (Aromax)		84.50 % w/w


	Total	100 % w/w
vi. The insecticides shall contain the maximum impurities as quantified/identified and submitted to the Registration Committee.		
vii. The Product shall confirm to the specification submitted by you and also to the IS vide No. and amendment thereof as and when the same are formulated and published.		
viii. A sample quantity of the insecticide being registered along with a small quantity of reference analytical standard should be sent to the Director, Central Insecticides Laboratory, Directorate of Plant Protection, Quarantine & Storage, N.H. IV, Faridabad, as and when required, for verification.		
ix. A copy, each of the approved label and leaflet is enclosed. No change, addition, alteration, modification or deletion with respect to the inscriptions on the labels/leaflets shall be done without the prior approval of the Registration Committee.		
x. The labels and leaflets shall be printed by using letters that are BOLD enough for a man of ordinary/normal vision to read them without any external help.		
xi. The Registration Committee does not itself responsible for the use of trade name by you. The use of the trade name shall be regulated as per the existing laws on the subject.		
xii. The license should be granted subject to the conditions that the licensee shall comply with the provisions of the Act and the Rules made thereunder and the conditions of registration for the time being in force.		
xiii. No license to manufacture an insecticide shall be granted unless the licensing officer is satisfied that necessary plant and machinery, safety devices, first-aid facilities, quality control measures, the requirement laid down under Chapter VIII of the Rules, etc. exist in the premises where the insecticide is proposed to be manufactured.		
xiv. The shelf-life of the insecticide shall be 2 year(s) .		
xv. Inspection of the manufacturing unit should be undertaken to collect in-process samples of the insecticides. The samples should be analyzed to verify the claims made by the licensee relating to chemical parameters, and the report thereof should be submitted to the Registration Secretariat within a period of six months.		
xvi. No export should take place in contravention to the provisions of the Rotterdam Convention on prior informed consent procedure for certain hazardous chemicals and pesticides in international trade.		
xvii. If a pesticide is banned or severely restricted in India, before exporting such pesticide, permission from Designated National Authority for Pesticide of the Country under Rotterdam Convention may be obtained.		
xviii. Health records of Industrial workers may be maintained in Appendix E (conditions) of Form-III as prescribed in the Insecticides Rules 1971. In case any untoward/adverse effect is noticed, then the same may be reported to Registration Secretariat by the Licensing Officer.		
xix. The registrant shall have to commence actual production of the pesticide within three years from the date of issue of registration certificate and is required to produce a certificate from the concerned State/UT Governments as a proof of production, failing which the certificate of registration shall automatically lapse.		
xx. In case of export, the packaging shall be as per the requirement of the importing country and conforming to IMDG guidelines.		
xxi. The registrant has to submit detail of Import/Export or indigenous manufacturing (as the case may be) of this pesticide month wise mandatory to the Secretariat of CIB&RC as the case maybe. In case non compliance of this condition is observed this CR shall be canceled immediately without any Notice.		
xxii. The product is registered for domestic use as well as for Export.		
xxiii. The product is registered for domestic as well as for export and in case of export primary packaging shall be as per the requirement of importing country.		
xxiv. The registrant is required to use the label and leaflets as per GSR 355(E) dated 04.06.2020 and applicable Insecticides Rules. The Issuance of the Certificate of Registration is strictly subject to the outcome of the		

Specific Conditions

(a) The product shall be packed in HDPE container with leakproof and pilferproof closure systems as per the requirements of relevant IS. The capacity of HDPE container shall be 100 ml., 250 ml., 500 ml., 1 litre, 5 litre and 20 litres only. HDPE container upto 5 litres capacity shall be further packed in CFB boxes as per relevant IS and their subsequent amendments. No other packaging system shall be used without the approval of the R.C. (b) The fungicide is approved for use against powdery mildew on Mango, sheath blight on Rice and powdery mildew on Grapes only.

Dated: 24/02/2025

Copy to: The Director of Agriculture, Gujarat



Dr. Archana Sinha
Secretary
Central Insecticides Board
and Registration Committee

Note :-

The Labels and leaflets have been generated through newly created data bank. Notwithstanding diligence exercised in creation of the data bank, the possibility of errors creeping into labels and leaflets cannot be ruled out. The same is subjected to necessary corrections.

Signature valid

Digitally signed by Archana Sinha
Date: 2025.02.28 16:21:12
Location: CIB&RC, NH4, CGO
Complex, Faridabad.
Designation: Secretary (CIB&RC)




Label Details

CIR-346888/2025-Hexaconazole (EC) (461)-

852

Hexaconazole 5% EC
(Systemic Fungicide)

हेक्साकोनाजोल 5 प्रतिशत ई.सी.
(अंतर्प्रवाही फफूंदीनाशक)



बच्चों की पहुँच से दूर रखें

Keep out of reach of children.

सूखी और ठण्डी जगह पर आग से दूर रखें

Keep in cool, dry place away from heat and open flame.

Regn.No रजि. नं. _____
Mfg.Lic.No मैनयु ला. नं. _____
Batch No. बैच नं. _____
Mfg Date मैनयु, ता. _____

Chemical Composition

S.No	Ingredient	Description	Weight
1	Hexaconazole Tech	(Based on 92% w/w a.i.)	5.50 % w/w
2	Emulsifier	a) Styrimated phenol ethylene oxide condensate	5.00 % w/w
3		b) Dodecyl benzene sulfonic acid Ca salt	5.00 % w/w
4	Solvent (Aromax)		84.50 % w/w
Total			100 % w/w

Direction Of Use

Please read enclosed leaflet before use.

Precautions

1.Keep away from foodstuffs, empty foodstuff containers and animals food. 2.Avoid contact with eyes, mouth and skin. 3.Avoid inhalation the spray mist. spray in the direction of wind. 4.Wash thoroughly the contaminated clothes and part of the body after spraying. 5.Do not smoke, drink eat and chew anything while spraying 6. Wear

रासायनिक संरचना

क्रमांक	घटक	विवरण	वजन
1	हेक्साकोनाजोल टैक्निकल	(भारानुसार 92 प्रतिशत स.त. पर आधारित)	5.50 % भार/भार
2	इमल्सिफायर .	अ) स्टाइरिनेटेड फिनाइल इथिलीन आक्साइड कन्डेंसेट	5.00 % भार/भार
3		ब.) डोडेसिल बेजीन सल्फोनिक एसिड कैल्शियम साल्ट	5.00 % भार/भार
4	घोलक (एरोमेक्स)		84.50 % भार/भार
			कुल 100 % w/w

उपयोग के लिए दिशा-निर्देश

<p>full protective clothing while mixing and spraying.</p>	<p>Exp. Date _____</p> <p>खत्म होने की _____</p> <p>तारीख _____</p>
<p><u>Antidote</u></p> <p>No specific antidote. treat symptomatically.</p>	<p>Net Content / _____</p> <p>Volume शुद्ध भार, _____</p>
<p><u>First Aid</u></p> <p>1. If swallowed, induce vomiting by tickling the back of throat. repeat it until the vomitus is clear. do not induce vomiting if the patient unconscious. 2. If clothing and skin is contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water. 3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes. 4. If inhaled, remove the patient to fresh air.</p>	<p>Max. Retail _____</p> <p>Price अधिकतम _____</p>
<p><u>Symptoms</u></p> <p>Nervousness, anxiety, tremor, diarrhoea and allergic manifestations may occur.</p>	<p>खुदरा मूल्य _____</p>
<p><u>Recommendations</u></p> <p>It is recommended to control scab of apple, blast and sheath blight of rice, tikka of groundnut, powdery mildew of mango, rust of soyabean, blister blight of tea and powdery mildew of grapes only. Caution :- Do not spray if there is a possibility of harming bees and fish, live stock, game, wild birds and animals.</p>	
<p><u>Manufactured By</u></p> <p>M/s SAHAJ AGROCHEM INDUSTRIES</p>	

<p>उपयोग से पहले लीफलेट पढ़ें।</p>	
<p><u>प्रयोगकर्ताओं के लिए सावधानियां</u></p> <p>1.खाधसामग्री, खाथ सामग्री के खाली बर्तन और पशुओं के चारे से दूर रखें। 2.मुंह,त्वचा और आँखों के सम्पर्क से बचायें। 3.छिड़काव की वाष्प को सांस को द्वारा अंदर जाने से बचायें। हवा की दिशा में छिड़काव करें। 4..छिड़काव के बाद दूषित कपड़ो और शरीर के अंगों को अच्छी तरह धोएं। 5. छिड़काव के समय धुमपान, खाना पीना और कुछ चबाना नहीं चाहिए। 6 छिड़काव करते या मिलाते समय पूर्ण सुरक्षात्मक कपड़े पहनें।</p>	
<p><u>विष नाशक</u></p> <p>कोई विशिष्ट विषनाशक नहीं हैं। लक्षणानुसार इलाज करें।</p>	
<p><u>प्राथमिक चिकित्सा</u></p> <p>(1) यदि निगल जाये तो गले के पीछे गुदगुदी करके उल्टी कराए । यह क्रिया तब तक दोहराते रहे जब तक उल्टी दारा निकला पदार्थ साफ न हो जाए । यदि मरीज बेहोश हो तो उल्टी न करायें। (2) यदि कपड़े और त्वचा दूषित हो जाए तो दूषित कपड़ों को उतार दे दूषित त्वचा को काफी मात्रा में साबुन और पानी से धोएं । (3) यदि आँखे दूषित हो जाए तो उनको काफी मात्रा में सैलाइन/साफ पानी में लगभग 10-15 मिनट तक धोएं । (4) यदि सांस</p>	

SF 37, Earth Alpha, Vasna Road, Vadodara- 390007
(Gujarat)

Manufacturer Premises Address

19/D, Raj Industrial Park, Karchiya, Savli, Vadodara -
391310 (Gujarat)

दारा अन्दर गया हो तो रोगी को शुद्ध हवा में ला जाये।

लक्षण

घबराहट, परेशानी, कंपकपी, दस्त, और एलर्जिक हो सकती है।

उपयोग

इस फफूंदनाशक का प्रयोग सेब के पत्ता, धान का सहसामारी, अंगमारी, मूंगफली का टिकका, आम का चूर्ण आसिता, सोयाबीन का गेरूआ, चाय का फफोला अंगमारी और अंगूर का चूर्ण आसिता रोग के रोकथाम हेतु किया जाता है। सावधान :- जहाँ मधुमखी, मछली, पालतू जानवर, खेल के मैदान, जानवरों और चिड़ियों के नुकसान की संभावना हो छिड़काव न करें।

निर्माता

अंग्रेजी में लिखे अनुसार


आयात कर्ता का उत्पादन परिसर

अंग्रेजी में लिखे अनुसार

Safety Pictograms / सुरक्षा चित्रलेख

Signature valid

Digitally signed by Archana Sinha
Date: 2025.02.28 16:21:14
Location: GIB&RC NH4, CGO
Complex, Faridabad,
Designation: Secretary (GIB&RC)



Leaflet Details

CIR-346888/2025-Hexaconazole (EC) (461)-852
Hexaconazole 5% EC
(Systemic Fungicide)

It is a systemic fungicide containing Hexaconazole 5% Active ingredient and balance adjuvants. It is used for control for scab of Apple, Blast and sheath blight of Rice, Tikka of Groundnut, Powdery mildew of Mango, Rust of Soyabean, Blister blight of Tea and Powdery mildew of Grapes only. Caution :- Do not spray if there is a possibility of harming bees and fish, live stock, game, wild birds and animals.

Recommendation

Crop(s)	Common Name of Pest	Dosage/HA		Dilution in Water (Ltr)	Waiting Period between last spray to harvest (days)	Re-entry after each Application (In Hours)
		AI (%/gm)	Formulation (%/ml)			
Apple	Sacb	0.0025%	0.05%/50ml/100lit	As required	30	
Grapes	Powdery mildew	25-50	500-1000	500	14	
	Powdery mildew	25-50	500-1000	500	14	
	Powdery mildew	25-50	500-1000	500	14	
Groundnut	Tikka Leaf Spot	75	1500	500	30	
Mango	Powdery Mildew	0.005% (5g/100L)	0.1% (100ml/100lit)	As required	30	
Rice	Blast, Sheath blight	50	1000	500	40	
Soybean	Rust	0.005% (5g/100L)	0.1% (100ml/100lit)	As required	30	
Tea	Blister blight	10	200ml	70-90 with power sprayer/175-200 with knap sprayer	7	

Direction Of Use

Plant Protection Equipment:- Take the required quantity of Hexaconazole 5% EC dilute with a little water and stir well using a stick. Then add the remaining quantity of water as per spray volume required and mix well again stirring. Use knapsack sprayer, foot sprayer, compression knapsack battery sprayer or ASPEE-HTP sprayer.

Time of Application

-

Precautions

- 1) Keep away from foodstuffs, empty foodstuff containers and animals food.
- 2) Avoid contact with mouth, eyes and skin.
- 3) Avoid inhalation of the spray mist. Spray in the direction of wind.

- 4) Wash thoroughly the contaminated clothes and parts of the body after spraying.
- 5) Do not smoke, drink eat and chew anything while spraying.
- 6) Wear full protective clothing while mixing and spraying.

Symptoms Of Poisoning

Nervousness, anxiety, tremor, diarrhea and allergic manifestation may occur.

First Aid

- 1) If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious.
- 2) If clothing and skin are contaminated, remove the cloths and wash the contaminate skin with copious amount of soap and water.
- 3) If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes.
- 4) If inhaled, remove the patient to fresh air.

Phytotoxicity

The product is not phytotoxic when used as per field recommendation. COMPATABILITY: Hexaconzole 5% EC is compatible with most of the commonly used insecticides and fungicides.

Antidote

No specific antidote is known. Treat symptomatically.

Disposal Of Used Container

- (1) The packages shall be broken and buried away from habitation.
- (2) The used packages shall not be left outside to prevent their re-use.
- (3) Packages or surplus material and washings from the machine and cointainers should be disposed in safe manner so as to prevent environment or water pollution.

Storage Conditions

- 1) The package containing the fungicide shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles particularly articles of food or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of fungicide.
- 2)The rooms or premises meant for storing the fungicide shall be well built, air, well lit and ventilated and of sufficient dimension to avoid contamination with vapour.

Chemical Composition

S.No	Ingredient	Description	Weight
1	Hexaconazole Tech	(Based on 92% w/w a.i.)	5.50 % w/w
2	Emulsifier	a) Styrenated phenol ethylene oxide condensate	5.00 % w/w
3		b) Dodecyl benzene sulfonic acid Ca salt	5.00 % w/w
4	Solvent (Aromax)		84.50 % w/w

	Total	100 % w/w
--	-------	-----------

Manufactured By

M/s SAHAJ AGROCHEM INDUSTRIES

SF 37, Earth Alpha, Vasna Road, Vadodara- 390007 (Gujarat)

Manufacturer Premises Address

19/D, Raj Industrial Park, Karchiya, Savli, Vadodara - 391310 (Gujarat)

पत्रक विवरण

CIR-346888/2025-Hexaconazole (EC) (461)-852

हेक्साकोनाजोल 5 प्रतिशत ई.सी.

(अंतर्प्रवाही फफूंदनाशक)

यह एक अंतर्वाही फफूंदनाशक है जिसमें हेक्साकोनाजोल सक्रिय तत्व 5 प्रति वजन के हिसाब से तथा बाकी अन्य सहयोगी पदार्थ है। इसका प्रयोग सेब के पामा, धान का सहसामारी, अंगमारी, मूँगफली का टिक्का, आम का चूर्ण आसिता, सोयाबीन का गेरूआ, चाय का फफोला अंगमारी और अंगूर का चूर्ण आसिता रोग के रोकथाम हेतु किया जाता है। सावधान :- जहाँ मधुमखी, मछली, पालतू जानवर, खेल के मैदान, जानवरों और चिड़ियों के नुकसान की संभावना हो छिड़काव न करें।

उपयोग

फसल	कीट के नाम	प्रति हैक्टेयर मात्रा		पानी की मात्रा (लीटर)	अन्तिम छिड़काव तथा फसल काटने के बीच अन्तराल (दिन)	पुनः प्रवेश की अवधि प्रत्येक छिड़काव के बाद (घंटे)
		स. तत्व (प्रतिशत/ग्राम)	संरचना (प्रतिशत/मि.ली)			
सेब	पामा	0.0025%	0.05%/50मि.ली./100ली.	आवश्यकतानुसार	30	
अंगूर	चूर्ण आसिता रोग	25-50	500-1000	500	14	
	चूर्ण आसिता रोग	25-50	500-1000	500	14	
		25-50	500-1000	500	14	
मूँगफली	टिक्का पर्ण चित्ति	75	1500	500	30	
आम	चूर्ण आसिता रोग	0.005% (5ग्राम/ 100लीटर)	0.1% (100मि.ली./100ली.)	आवश्यकतानुसार	30	
धान	सहसामारी पर्णच्छद अंगमारी रोग	50	1000	500	40	
सोयाबीन	गेरूआ	0.005% (5ग्राम/ 100लीटर)	0.1% (100मि.ली./100ली.)	आवश्यकतानुसार	30	
चाय	फफोला अंगमारी	10	200ml	70-90 शक्तिचलित/175- 200 पीठ पर	7	

फ़सल	कीट के नाम	प्रति हैक्टेयर मात्रा		पानी की मात्रा (लीटर)	अन्तिम छिड़काव तथा फसल काटने के बीच अन्तराल (दिन)	पुनः प्रवेश की अवधि प्रत्येक छिड़काव के बाद (घंटे)
		स. तत्व (प्रतिशत/ग्राम)	संरचना (प्रतिशत/मि.ली)			
				लादने वाले छिड़काव		
				यंत्र द्वारा		

उपयोग के लिए दिशा-निर्देश

इसकी निर्धारित मात्रा को पहले थोड़े पानी में अच्छी प्रकार मिलाएं उसके बाद पानी कि आवश्यक मात्रा जो मात्रा निर्धारित की गयी हो मिलाएं और डंडा अच्छी प्रकार मिलाएं। पोथ सुरक्षा यंत्र- पीठ पर रखकर चलाने वाला छिड़कावकारक, पैर से चलाने वाला छिड़कावकारक पीठ पर रखकर चलाने वाला दबाव छिड़कावकारक, बैटरी से चालित पीठ पर रखकर चलाने वाला छिड़कावकारक या ए.एस.पी. ई.ई.-एच.टी.पी. शक्ति चालित छिड़कावकारक यंत्र आदि ।

प्रयोग का समय

-

प्रयोगकर्ताओं के लिए सावधानियां

1. खादसामग्री, खाद सामग्री के खाली बर्तन और पशुओं के चारे से दूर रखें।
2. मुंह, त्वचा और आँखों के सम्पर्क से बचायें।
3. छिड़काव की वाष्प को सांस द्वारा अंदर जाने से बचायें। हवा की दिशा में छिड़काव करें।
4. छिड़काव के बाद दूषित कपड़ों और शरीर के अंगों को अच्छी तरह धोएं।
5. छिड़काव के समय धूम्रपान, खाना पीना और कुछ चबाना नहीं चाहिए।
6. छिड़काव करते या मिलाते समय पूर्ण सुरक्षात्मक कपड़े पहनें।

विष के लक्षण

घबराहट, परेशानी, कंपकी, दस्त और एलर्जिक हो सकती है।

प्राथमिक चिकित्सा

(1) यदि निगल जाये तो गले के पीछे गुदगुदी करके उलटी कराए । यह क्रिया तब तक दोहराते रहे जब तक उलटी द्वारा निकला पदार्थ साफ न हो जाए । यदि मरीज बेहोश हो तो उलटी न करायें।

(2) यदि कपडे और त्वचा दूषित हो जाए तो दूषित कपडों को उतार दे दूषित त्वचा को काफी मात्रा में साबुन और पानी से धोएं ।

(3) यदि आँखें दूषित हो जाए तो उनको काफी मात्रा में सैलाइन/साफ पानी में लगभग 10-15 मिनट तक धोएं ।

(4) यदि सांस द्वारा अन्दर गया हो तो रोगी को शुद्ध हवा में ला जाये।

पौधविशाक्तता

सुक्ष्म की मात्रा के अनुसार प्रोग करने पर यह कीटनाशक पौध विशाक्तता नहीं हैं। अनुरूपता: हेक्साकोनाजोल 5 प्रतिशत ई.सी अमतौर पर प्रयोग में आने वाले सभी फफूँदनाक और कीटनाशक के साथ मिलाया जा सकता है।

विष नाशक

कोई विशिष्ट विषनाशक नहीं हैं। लक्षणानुसार इलाज करें।

खाली डिब्बों का निपटारा

1. फफूँदनाशक निर्माताओं या उपयोग कर्ता का कर्तव्य है कि डिब्बों या पात्रों को तोड़कर आबादी से दूर जमीन में गाड़ देना चाहिए।
2. उपयोग के बाद खाली डिब्बों को खुला बाहर न छोड़े और नही खाद्य पदार्थ व दूसरी चीजें रखने के काम न लावे
3. बची हुई फफूँदनाशक या यंत्रोंके धोवन को इस प्रकार निपटारा करें कि जिससे आसपास के वातावरण तथा पीने का पानी विषैला न हो।

संग्रहण की शर्तें

फफूँदनाशक के डिब्बों को अलग अलग कमरों या आलमारियों में जोकि अन्य कमरों या आलमारी से जिसमें अन्य वस्तुएँ विशेषकर खाद्य पदार्थ या पशु आहार संग्रहित किए जाते हैं से दूर अन्य कमरों से दूर अलग कमरों में या आलमारियों में ताला चाबी में बंद रखें।

2. जिस कमरे या आलमारी में फफूँदनाशक का भण्डारण करना हो वह अच्छी तरह बना हुआ, सूखा, प्रकाश युक्त हवादार तथा पर्याप्त लम्बा चौड़ा होना चाहिए जिससे कि फफूँदनाशक के भाप से प्रदूषण होने का डर न हो।

रासायनिक संरचना

क्रमांक	घटक	विवरण	वज़न
1	हेक्साकोनाजोल टैक्निकल	(भारानुसार 92 प्रतिशत स.त. पर आधारित)	5.50 % भार/भार
2	इमलिसफायर .	अ) स्टाइरिनेटेड फिनाइल इथिलीन आक्साइड कन्डेंसेट	5.00 % भार/भार
3		ब.) डोडेसिल बेजीन सल्फोनिक एसिड कैल्शियम साल्ट	5.00 % भार/भार
4	घोलक (एरोमेक्स)		84.50 % भार/भार

निर्माता


अंग्रेजी मे लिखे अनुसार

उत्पादन परिसर

अंग्रेजी मे लिखे अनुसार

Signature valid

Digitally signed by Archana Sinha
Date: 2025.02.28 16:21:15
Location: CIB&RC,NH4,CGO
Complex,Faridabad.
Designation: Secretary (CIB&RC)



455793-F/9(4)2024

Caution:“Not to Be Used on Crops Other Than Specified on This Label/Leaflet”.